





| | | | | |
|--|----------------|-----------------------------|--------------|---|
|  | Document ID: | TDS-S-CH-EU-015 | Version: | 004 |
| | Date of Issue: | 29-APR-2021 | Approved by: | Anna Becker |
| | Review Date: | 10-JAN-2022 | Signature: |  |
| | Title: | TECHNICAL DATA SHEET | | |

| | | | |
|---------------------------------------|------------------------|-----------------------|--------------|
| Product Name | Chicken Serum | | |
| Filtration/Treatment | 0.2µm sterile filtered | | |
| Origin | EU | | |
| Product Codes | S-CH-EU-015 | | |
| Shelf Life | 5 Years from DOM | | |
| Storage Temperature | <-15°C | | |
| Shipping Temperature | dry ice | | |
| | | | |
| Physical and Chemical Analysis | Method | Specifications | Units |
| pH | Electronic pH Meter | 5.0 – 8.0 | n/a |
| Osmolality | Osmometer | 240 - 340 | mOsm/kg |
| Endotoxin | LAL Kinetic | Test and Report | EU/ml |
| Hemoglobin | Colorimetric | Test and Report | mg/dl |
| | | | |
| Protein Profile | | | |
| Total Protein | IDEXX Catalyst One | Test and Report | g/dl |
| | | | |
| Sterility | | | |
| Aerobic Bacteria | Internally Validated | Not detected | n/a |
| Anaerobic Bacteria | Internally Validated | Not detected | n/a |
| Fungi (yeast & Mold) | Internally Validated | Not detected | n/a |

| | | | | |
|--|----------------|-----------------------------|--------------|---|
|  | Document ID: | TDS-S-CH-EU-015 | Version: | 004 |
| | Date of Issue: | 29-APR-2021 | Approved by: | Anna Becker |
| | Review Date: | 10-JAN-2022 | Signature: |  |
| | Title: | TECHNICAL DATA SHEET | | |

RECOMMENDED USE:

Storage

To effectively preserve the integrity of animal serum, it should be stored frozen and protected from light. The recommended storage temperature is <-15°C.

Multiple thaw/freeze cycles should be avoided, as they will accelerate the degradation of serum nutrients and can encourage the formation of insoluble precipitates. For this reason, serum should never be stored in “frost-free” freezers. These types of freezers periodically warm themselves to avoid internal ice deposits and are detrimental to the stability of frozen serum products.

Suggested Thawing Procedure

1. Remove the serum bottles from the freezer and allow them to adjust to room temperature for approximately 10 minutes.
2. Place each container in a 30 to 37 °C water bath or incubator. Excessive temperatures will degrade heat labile nutrients. If using a water bath, prevent the bottle caps from being submerged.
3. Gently agitate the bottles every 10 – 15 minutes until the serum is completely thawed.

Efficient and Effective Usage

After thawing, use the serum promptly. Liquid serum may be stored refrigerated (2 to 8 °C) up to four weeks. To avoid thaw/freeze cycles or long periods of refrigeration, it is recommended that any unused serum be immediately dispensed into small, useful aliquots and refrozen for future use.

THIS PRODUCT IS NOT INTENDED FOR HUMAN OR ANIMAL CONSUMPTION OR THERAPEUTIC USE.